ARCHITECTURAL GRATES + DRAINS







SQ100PPS

Stormtech is the only linear drainage system available with full Greentag and Watermark certification across our complete product range.







ARCHITECTURAL GRATES + DRAINS

Code SQ100PPS

Grate Style PPS

Steel Grade 316

22mm

Category Fixed-Length Units Channel Material Stainless Steel

Grates longer than 1500mm supplied in sections.

+/-2mm tolerance on dimensions.

Tile Inserts longer than 1200mm supplied in sections.

Channels over 3000mm supplied in sections with joiner.

103mm

Range Square



SQ100PPS

Square Floor waste with a punched perpendicular slot grate

The SQ Range of floor waste units allow the integration of a standard floor waste with Stormtech linear drainage.

Floor waste measures 103mm x 103mm.

Available with 76mm, 44mm or 38mm outlet

SPECIFICATIONS + DIMENSIONS

Channel Width Channel Depth Length(s) Outlet Size 103mm 22mm 103mm DN40, DN50, DN80

STORMTECH COLOUR FINISHES



Electroplate finishes subject to natural variation with time and local environment. Factors such as pools/surf beaches may require electropolishing. Contact us for suitability.

PRODUCT APPLICATIONS

Bathroom Drainage Hospitality Drainage Shower Drainage Multi-Residential Drainage

Copyright © Stormtech Pty Ltd. Patent 733361. Drawings not to scale, please use dimensions shown.




Visit **slimlinedrain.co.uk** for tools + inspiration.

Phone 01483 346460


SQ100 Bathroom

For SQ100AR, SQ100MND, SQ100PH SQ100PS, and SQ100TR






NOTE, refer to AS3500 for specific outlet pipe sizes related to your specific installation.



NOTE, this method requires the channel system to be above and separate from the waterproofing



Visit slimlinedrain.co.uk





