





Better drainage by design.



Designed and manufactured since 1989

ARCHITECTURAL GRATES + DRAINS

Beautifully crafted from marine grade stainless steel and manufactured in Australia, Stormtech systems guarantee the highest standards in workmanship and durability.

Stormtech's extensive range of linear drainage is designed to suit both residential and commercial applications, with unmatched design versatility and architectural style, creating seamless drainage solutions for any project.

Stormtech proudly builds on its unrivalled environmental reputation as the only drainage manufacturer with Level-A GreenTag Certification across our complete range of products.












RESIDENTIAL, HEALTH + AGED CARE

Bathrooms + Showers Thresholds
Pools + Surrounds Driveways
Courtyards + Outdoors Paved Areas
Laundries + Wet Areas

COMMERCIAL + HOSPITALITY

Hotels + Resorts Commercial Kitchens
Bars + Restaurants Pedestrian Areas
Universal Access Water Fountains
Swimming Pools Entry Mats
Thresholds Sporting Facilities



MADE-TO-LENGTH UNITS

No assembly required.

Stormtech Made-to-Length products are a complete finished stainless steel drainage unit ready for installation with custom waste outlet position.

Available with custom floor and wall flanges to suit tile depth.

FIXED LENGTH UNITS

No assembly required.

Stormtech complete finished units with centre waste outlet are available in 900mm, 1000mm, 1200mm and 1500mm lengths.

MODULAR KITS

Modular site finished system designed for flexibility and ease of installation.

Available in lengths from 900mm. Joiners and angle joiners available for unrestricted lengths and corner installations.





Available in a range of grate styles and finishes to compliment your Stormtech linear drainage.

STANDARD + COMMERCIAL RANGE

The Stormtech Square Range offers a luxurious finish and great value wherever a traditional floor waste is required.

Grate width is 100mm or 130mm for


Tile Inserts. Larger sizes up to 200mm are available in our Square Commercial Range.

Choose from our unique range of grate styles to compliment your Stormtech linear drainage.

Available with the Stormtech range of electroplate metallic and powdercoat finishes.







THRESHOLD DRAINAGE

Stormtech pioneered the design of the level threshold drainage system. From its origin in Universal Access, to its emergence as a popular design choice, Stormtech remains at the forefront of threshold drainage innovations and contemporary design.

Access and Mobility Code compliant, the threshold range creates a zero threshold, for seamless continuity between indoor and outdoor areas.

Suitable for sliding, hinged, bi-fold and top hung doors.


VINYL CLAMP

Designed specifically for vinyl floor environments, the Stormtech Vinyl Clamp range provides a screw down flange that mechanically clamps the vinyl beneath, offering seamless integration into vinyl floor surfaces.

Ideally suited to wet areas in health and aged care facilities, and commercial kitchens environments.







High capacity linear drainage.

SPECIAL ASSEMBLY

Narrow profile, high capacity drainage systems allowing flexibility in pool design and ideally suited to wet-edge and infinity pool applications.

SLOT DRAIN


Designed for stormwater run-off and surface water drainage around driveways, paved areas, sporting areas and garden edges.
















Create the perfect finish.

DESIGNER SELECTIONS

Create perfect harmony in the bathroom with our range of luminous metallic grate finishes or complement a contemporary design with our deep black finishes in satin or matte.






Metallic and Powdercoat Finishes







Copper




Matte Black









Stormtech Custom. Made for you.

TAILORED DRAINAGE

Our Custom Fabrication range creates a tailored, site specific solution for unique situations.

Customise and configure dimensions, capacity requirements and grate finish to precisely suit your project design.

All custom drainage system are available in load classes from light (Load Class A) to extra heavy duty (Load Class D).

Available with the Stormtech range of electroplate metallic and powdercoat finishes.



COLOUR FINISHES

Finish any Stormtech drainage in luminous metallic copper, bronze and brass or powdercoat with rich black or custom colours available in matte or satin finish.

Planning your Linear Drainage



Design Choose your grate design and colour



-













AR **Architectural Grate** 2mm wire / 2.5mm gapt

TR Standard Grate 3mm wire / 5mm gap

Τi Tile Insert

MND Marc Newson Design

PS **Punched Slot**

PPS Punched Perpendicular

PAS **Punched Angle**

FT Flat Top Grate





106mm Overall Width



72mm Overall Width

74mm with uPVC Channel



46mm Overall Width





23mm Total Depth

27mm Total Depth 30

31mm Total Depth


32mm with 100 Range uPVC Channel



42mm **Total Depth**

Type

Choose required product type.




Made-to-Length

NO ASSEMBLY REQUIRED

Custom length, fully finished stainless steel drainage unit.

> All Stainless Steel **Custom Outlet Position** 000




Fixed Length

NO ASSEMBLY REQUIRED

All stainless steel drainage unit, ready for installation.

> All Stainless Steel Centre Outlet Position



Modular Kits

TRIM AND INSTALL

Site finished kit designed for flexibility during installation.

> Stainless Steel or uPVC Channel + Fittings 000

00

Stormtech Product Selector

100mm Grate





Linear Drainage Stormwater / Sanitary Applications

	DIMENSIONS - WIDTH x DEPTH -	MADE TO LENGTH				;
GRATE STYLE		- CUSTOM OUTLET - All Stainless Steel	- CENTRE OUTLET - All Stainless Steel	Stainless Steel Channel	Grey uPVC Channel	Black uPVC Channel
AR	106mm x 23mm	100ARi20MTL	100ARiCO20	100ARi20	100ARG20	100ARGBL20
	106mm x 32mm	-	-	-	100ARG30	100ARGBL30
	106mm x 42mm	100ARi40MTL	-	-	-	-
Architectural	72mm x 27mm	65ARi25MTL	65ARICO25	65ARi25	65ARG25	65ARGBL25
	72mm x 42mm	65ARi40MTL	-	65ARi40	65ARG40	-
	46mm x 42mm	38ARi40MTL	-	-	38ARG40	-
	106mm x 23mm	100TRi20MTL	100TRiCO20	100TRi20	100TRG20	100TRGBL20
TR	106mm x 42mm	100TRi40MTL	-	-	-	-
Standard Range	72mm x 27mm	65TRi25MTL	65TRiCO25	65TRi25	65TRG25	65TRGBL25
	72mm x 42mm	65TRi40MTL	-	65TRi40	65TRG40	-
Ti	106mm x 23mm	100Tii20MTL	100TiiCO20	100Tii20	100TiG20	100TiGBL20
Tile Insert	106mm x 23mm	100TiXi20MTL	-	-	-	-
1.5mm Tile Insert	72mm x 27mm	65Tii25MTL	65TiiCO25	65Tii25	65TiG25	65TiGBL25
	106mm x 31mm	100Tii30MTL	100TiiCO30	-	-	-
Ti Premium Tile	106mm x 42mm	100Tii40MTL	-	-	-	-
Insert	72mm x 31mm	65Tii30MTL	65TiiCO30	-	-	-
3mm Tile Insert	72mm x 42mm	65Tii40MTL	-	65Tii40	-	-
MND	106mm x 23mm	100MNDi20MTL	100MNDiCO20	100MNDi20	100MNDG20	100MNDGBL20
Marc Newson	72mm x 27mm	65MNDi25MTL	65MNDiCO25	65MNDi25	65MNDG25	65MNDGBL25
	106mm x 23mm	100PSi20MTL	100PSiCO20	100PSi20	100PSG20	100PSGBL20
	106mm x 42mm	100PSi40MTL	-	-	-	-
PS Punched Slot	72mm x 27mm	65PSi25MTL	65PSiCO25	65PSi25	65PSG25	65PSGBL25
T differed diet	72mm x 42mm	65PSi40MTL	-	65PSi40	65PSG40	-
	46mm x 42mm	38PSi40MTL	-	-	38PSG40	-
	106mm x 23mm	100PPSi20MTL	100PPSiCO20	100PPSi20	100PPSG20	100PPSGBL20
PPS Punched Perpendicular	106mm x 42mm	100PPSi40MTL	-	-	-	-
	72mm x 27mm	65PPSi25MTL	65PPSiCO25	65PPSi25	65PPSG25	65PPSGBL25
	72mm x 42mm	65PPSi40MTL	-	-	-	-
PAS Punched Angle	106mm x 23mm	100PASi20MTL	100PASiCO20	100PASi20	100PASG20	100PASGBL20
	106mm x 42mm	100PASi40MTL	-	-	-	-
	72mm x 27mm	65PASi25MTL	65PASiCO25	65PASi25	65PASG25	65PASGBL25
	72mm x 42mm	65PASi40MTL	-	-	-	-
FT	106mm x 23mm	100FTi20MTL	-	-	-	-
Flat Top	72mm x 27mm	65FTi25MTL	-	-	-	-

Product Selector





Linear Drainage + Integrated Flange

GRATE STYLE	DEPTH	100mm GRATE WIDTH	65mm GRATE WIDTH
AR Architectural	42mm	100ARiMTLF	65ARIMTLF
TR Standard Range	42mm	100TRiMTLF	65TRIMTLF
Ti Tile Insert	42mm	100TiiMTLF	65TiiMTLF
PS Punched Slot	42mm	100PSIMTLF	65PSIMTLF
PPS Punched Perpendicular	42mm	100PPSIMTLF	65PPSiMTLF
PAS Punched Angle	42mm	100PASIMTLF	65PASIMTLF

Square Floor Waste

GRATE STYLE	- WIDTH x LENGTH -	DIMENSIONS - DEPTH -	- OUTLET SIZE -	PRODUCT
AR	103mm x 103mm	22mm	DN80	SQ100AR
Architectural	103mm x 103mm	22mm	DN50	SQ100AR-44
TR	103mm x 103mm	22mm	DN80	SQ100TR
Standard Range	103mm x 103mm	22mm	DN50	SQ100TR-44
MND	103mm x 103mm	22mm	DN80	SQ100MND
Marc Newson	103mm x 103mm	22mm	DN50	SQ100MND-44
PS	103mm x 103mm	22mm	DN80	SQ100PS
Punched Slot	103mm x 103mm	22mm	DN50	SQ100PS-44
PPS	103mm x 103mm	22mm	DN80	SQ100PPS
Punched Perpendicular	103mm x 103mm	22mm	DN50	SQ100PPS-44
PAS	103mm x 103mm	22mm	DN80	SQ100PAS
Punched Angle	103mm x 103mm	22mm	DN50	SQ100PAS-44
Ti	130mm x 130mm	23mm	DN80	SQ100Ti20-80
Tile Insert 1.5mm Tile Insert	130mm x 130mm	23mm	DN100	SQ100Ti20-100
	130mm x 130mm	23mm	DN50	SQP100Ti20-50
ті	130mm x 130mm	23mm	DN80	SQP100Ti20-80
Premium Tile Insert	130mm x 130mm	23mm	DN100	SQP100Ti20-100
3mm Tile Insert	130mm x 130mm	30mm	DN80	SQP100Ti20-BLACK
	130mm x 130mm	33mm	DN80	SQP100Ti33-80
	150mm x 150mm	32mm	DN100	SQ150CR
CR	150mm x 150mm	32mm	DN80	SQ150CR-76
Commercial Range	200mm x 200mm	32mm	DN100	SQ200CR
	200mm x 200mm	32mm	DN80	SQ200CR-76

Product Selector







Threshold Drainage

,				<u>, </u>
GRATE STYLE	DIMENSIONS - GRATE WIDTH -	SLIDING + HII Door Track with Sub-sill Tray	NGED DOORS Door Track Only Application	BI-FOLD + TOP HUNG DOORS
AR	100mm	100ARTDi	100ARTDIS	100ARTDiBF
Architectural	65mm	65ARTDi	65ARTDIS	-
TR	100mm	100TRTDi	100TRTDIS	100TRTDiBF
Standard Range	65mm	65TRTDi	65TRTDIS	-
Ti	100mm	100TiTDi	100TiTDiS	100TiTDiBF
Tile Insert	65mm	65TiTDi	65TiTDiS	-
MND Marc Newson	100mm	100MNDTDi	100MNDTDiS	100MNDTDiBF
	65mm	65MNDTDi	65MNDTDiS	-
PS Punched Slot	100mm	100PSTDi	100PSTDIS	100PSTDiBF
	65mm	65PSTDi	65PSTDIS	-
PPS Punched Perpendicular	100mm	100PPSTDi	100PPSTDIS	100PPSTDiBF
	65mm	65PPSTDi	65PPSTDIS	-
PAS	100mm	100PASTDi	100PASTDIS	100PASTDiBF
Punched Angle	65mm	65PASTDi	65PASTDIS	-

Vinyl Clamp Drainage

DESCRIPTION	GRATE WIDTH	TOTAL WIDTH x DEPTH	PRODUCT
Vinyl Clamp Drainage Unit	100mm	170mm x 27mm	VC100-25
	100mm	170mm x 42mm	VC100-42

Special Assembly

Complete the Special Assembly Series with an AR, TR or PS Stormtech grate design. **Grate supplied separately.**

DESCRIPTION	DIMENSIONS - TOP CHANNEL LENGTH -		PRODUCT
Special Assembly > 100mm Pipe with Channel	74mm x 42mm	3000mm	65G100
Special Assembly > 90mm Pipe with Channel	74mm x 42mm	3000mm	65G90
Special Assembly > 100mm Pipe with Channel	46mm x 42mm	3000mm	38G100
Special Assembly > 90mm Pipe with Channel	46mm x 42mm	3000mm	38G90

Slot Drain

DESCRIPTION	DIMEN	PRODUCT	
DESCRIPTION	- SLOT CHANNEL -	- LENGTH -	PRODUCT
Slot Drain > 90mm Pipe with 25mm PVC Insert Only. NO HOLES	25mm x 60mm	3000mm	SD90
Slot Drain > 90mm Pipe with 25mm PVC Insert. WITH HOLES	25mm x 60mm	3000mm	SD90H







Visit slimlinedrain.co.uk for detailed assembly and installation information.



TECHNICAL INFORMATION

We provide product information and CAD files for download from our website.



Stormtech™



